

## Genotoxicity of Euphorbia hirta: An Allium cepa Assay

Type:

Article

Abstract:

The potential genotoxic effects of methanolic extracts of Euphorbia hirta which is commonly used in traditional medicine to treat a variety of diseased conditions including asthma, coughs, diarrhea and dysentery was investigated using Allium cepa assay. The extracts of 125, 250, 500 and 1,000  $\mu\text{g/mL}$  were tested on root meristems of A. cepa. Ethylmethanesulfonate was used as positive control and distilled water was used as negative control. The result showed that mitotic index decreased as the concentrations of E. hirta extract increased. A dose-dependent increase of chromosome aberrations was also observed. Abnormalities scored were stickiness, c-mitosis, bridges and vagrant chromosomes. Micronucleated cells were also observed at interphase. Result of this study confirmed that the methanol extracts of E. hirta exerted significant genotoxic and mitodepressive effects at 1,000  $\mu\text{g/mL}$ .

Author	<ul style="list-style-type: none"> <li>• Ping, K. Y.</li> <li>• Darah, I.</li> <li>• Yusuf, U. K.</li> <li>• Yeng, C.</li> <li>• Sasidharan, S.</li> </ul>
Source	Molecules
ISSN	1420-3049
DOI	10.3390/molecules17077782
Volume (Issue)	17(7)
Page	7782-7791
Year	2012

Keyword:

Genotoxicity, Allium cepa, ethylmethane sulfonate, mitotic index, chromosome aberrations, medicinal-plants, chromosome stickiness, root-tips, aberrations Mitosis, water

Please Cite As:

PING, K. Y., DARAH, I., YUSUF, U. K., YENG, C. & SASIDHARAN, S. 2012.  
Genotoxicity of Euphorbia hirta: An Allium cepa Assay. *Molecules*, 17, 7782-7791.

URL:

- <http://apps.webofknowledge.com> search via Accession No >>000306752700012
- <http://www.mdpi.com/1420-3049/17/7/7782>